Dispositions by Species Page 1 of 7

DISPOSITIONS BY SPECIES

Between: Jan 1, 2024 to Jun 22, 2024

Legend

- R Released
- T Transferred
- P Pending
- **E** Euthanized
- **D** Died

DOA Dead on Arrival

Survival Rate Including First 24 Hours

(Pending + Released + Transferred) / (Total cases - Dead on arrival)

Survival Rate After First 24 Hours

(Pending + Released + Transferred) / (Total cases - Dead on arrival - Died in 24hr - Euthanized in 24hr)

Amphibia

| Common Name | Total | R | т | P | E | E +24hr | D | D +24hr | DOA | Survival Rate Including | Survival Rate After |
|-------------|-------------|-------|-------|-------|-------|---------|-------|---------|-------|-------------------------------|---------------------------|
| Tota | ls 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | (0%%) | (0%%) | (0%%) | (0%%) | (0%%) | (0%%) | (0%%) | (0%%) | | |

Aves

| Common Name | Total | R | т | P | E | E +24hr | D | D +24hr | DOA | Survival Rate Including | Surviva Rate After |
|---------------------|-------|---------------|------------|---------------|---------------|---------------|---------------|---------------|--------------|-------------------------------|--------------------------|
| American Coot | 3 | 2 (66.67%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (33.33%) | 0 (0%) | 0 (0%) | 66.67 | 100 |
| American Kestrel | 6 | 0 (0%) | 0 (0%) | 1 (16.67%) | 1 (16.67%) | 1 (16.67%) | 2 (33.33%) | 1 (16.67%) | 0 (0%) | 16.67 | 33.33 |
| American Robin | 13 | 1 (7.69%) | 0 (0%) | 5 (38.46%) | 1 (7.69%) | 0 (0%) | 1 (7.69%) | 4 (30.77%) | 1 (7.69%) | 50 | 60 |
| Barn Owl | 10 | 0 (0%) | 2 (20%) | 0 (0%) | 2 (20%) | 0 (0%) | 2 (20%) | 2 (20%) | 2 (20%) | 25 | 50 |

Dispositions by Species Page 2 of 7

| Common Name | Total | R | т | P | E | E +24hr | D | D +24hr | DOA | Survival Rate Including | Surviva Rate After |
|---------------------------------|-------|--------------|---------------|---------------|---------------|---------------|---------------|-------------|---------------|-------------------------------|--------------------------|
| Belted Kingfisher | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Black Crowned Night Heron | 5 | 1 (20%) | 0 (0%) | 2 (40%) | 1 (20%) | 0 (0%) | 1 (20%) | 0 (0%) | 0 (0%) | 60 | 100 |
| Blue Jay | 3 | 1 (33.33%) | 0 (0%) | 1 (33.33%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (33.33%) | 100 | 100 |
| Bobwhite Quail | 1 | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Budgerigar | 1 | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Common Grackle | 5 | 0 (0%) | 0 (0%) | 0 (0%) | 1 (20%) | 0 (0%) | 3 (60%) | 0 (0%) | 1 (20%) | 0 | 0 |
| Common Poorwill | 3 | 1 (33.33%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 2 (66.67%) | 0 (0%) | 0 (0%) | 33.33 | 100 |
| Cooper's Hawk | 2 | 0 (0%) | 0 (0%) | 0 (0%) | 1 (50%) | 0 (0%) | 0 (0%) | 1 (50%) | 0 (0%) | 0 | 0 |
| Domestic Duck | 4 | 1 (25%) | 0 (0%) | 0 (0%) | 0 (0%) | 2 (50%) | 0 (0%) | 0 (0%) | 1 (25%) | 33.33 | 33.33 |
| Eurasian Collared- dove | 10 | 1 (10%) | 0 (0%) | 3 (30%) | 2 (20%) | 0 (0%) | 1 (10%) | 2 (20%) | 1 (10%) | 44.44 | 66.67 |
| European Starling | 25 | 0 (0%) | 0 (0%) | 2 (8%) | 1 (4%) | 0 (0%) | 7 (28%) | 13 (52%) | 2 (8%) | 8.7 | 13.33 |
| Great Horned Owl | 14 | 1 (7.14%) | 4 (28.57%) | 6 (42.86%) | 0 (0%) | 1 (7.14%) | 2 (14.29%) | 0 (0%) | 0 (0%) | 78.57 | 91.67 |
| Great-tailed Grackle | 7 | 0 (0%) | 0 (0%) | 0 (0%) | 2 (28.57%) | 1 (14.29%) | 3 (42.86%) | 0 (0%) | 1 (14.29%) | 0 | 0 |
| Green Heron | 1 | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Green- winged Teal | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Hermit Thrush | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 | 0 |
| House Finch | 3 | 0 (0%) | 0 (0%) | 0 (0%) | 1 (33.33%) | 0 (0%) | 1 (33.33%) | 1 (33.33%) | 0 (0%) | 0 | 0 |

Dispositions by Species Page 3 of 7

| Common Name | Total | R | т | P | E | E +24hr | D | D +24hr | DOA | Survival Rate Including | Surviva Rate After |
|-------------------------------|-------|---------------|-----------|----------------|---------------|---------------|---------------|---------------|-------------|-------------------------------|--------------------------|
| House Sparrow | 28 | 7 (25%) | 0 (0%) | 10 (35.71%) | 0 (0%) | 0 (0%) | 7 (25%) | 3 (10.71%) | 1 (3.57%) | 62.96 | 85 |
| Inca Dove | 1 | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Killdeer | 4 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 2 (50%) | 2 (50%) | 0 | 0 |
| Lesser Goldfinch | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Lesser Scaup | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 | 0 |
| Long-eared Owl | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Magnificent Hummingbird | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Mississippi Kite | 2 | 0 (0%) | 0 (0%) | 0 (0%) | 2 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Mourning Dove | 7 | 3 (42.86%) | 0 (0%) | 2 (28.57%) | 1 (14.29%) | 0 (0%) | 1 (14.29%) | 0 (0%) | 0 (0%) | 71.43 | 100 |
| Northern Harrier | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Red- breasted Merganser | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Red-tailed Hawk | 5 | 1 (20%) | 0 (0%) | 2 (40%) | 1 (20%) | 0 (0%) | 0 (0%) | 1 (20%) | 0 (0%) | 60 | 75 |
| Ring-billed Gull | 2 | 0 (0%) | 0 (0%) | 0 (0%) | 1 (50%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (50%) | 0 | 0 |
| Rock Dove | 9 | 1 (11.11%) | 0 (0%) | 5 (55.56%) | 0 (0%) | 2 (22.22%) | 1 (11.11%) | 0 (0%) | 0 (0%) | 66.67 | 75 |
| Say's Phoebe | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Scaled Quail | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Sharp- shinned Hawk | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 | 0 |

Dispositions by Species Page 4 of 7

| Common Name | Total | R | т | Р | E | E +24hr | D | D +24hr | DOA | Survival Rate Including | Surviva Rate After |
|-----------------------|-------|----------------|--------------|----------------|----------------|---------------|---------------|----------------|---------------|-------------------------------|--------------------------|
| Swainson's Hawk | 9 | 2 (22.22%) | 0 (0%) | 3 (33.33%) | 3 (33.33%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (11.11%) | 62.5 | 100 |
| Toulouse Goose | 1 | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Turkey Vulture | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Unidentified Dove | 3 | 0 (0%) | 0 (0%) | 3 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Western Kingbird | 7 | 0 (0%) | 0 (0%) | 6 (85.71%) | 1 (14.29%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 85.71 | 100 |
| Western Meadowlark | 2 | 0 (0%) | 0 (0%) | 2 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| White- winged Dove | 23 | 1 (4.35%) | 0 (0%) | 15 (65.22%) | 0 (0%) | 2 (8.7%) | 2 (8.7%) | 2 (8.7%) | 1 (4.35%) | 72.73 | 80 |
| Totals | 232 | 28 (12.07%) | 7 (3.02%) | 68 (29.31%) | 26 (11.21%) | 11 (4.74%) | 42 (18.1%) | 33 (14.22%) | 17 (7.33%) | 47.91 | 70.07 |

Mammalia

| Common Name | Total | R | т | P | E | E +24hr | D | D +24hr | DOA | Survival Rate Including | Survival Rate After |
|-----------------------------------|-------|----------------|-----------|----------------|--------------|------------|---------------|---------------|---------------|-------------------------------|---------------------------|
| Black-tailed Jackrabbit | 9 | 9 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Bobcat | 1 | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Brazilian Free- tailed Bat | 2 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (50%) | 1 (50%) | 0 | 0 |
| Desert Cottontail | 1 | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Desert Pocket Gopher | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 | 0 |
| Fox Squirrel | 13 | 0 (0%) | 0 (0%) | 6 (46.15%) | 0 (0%) | 0 (0%) | 3 (23.08%) | 2 (15.38%) | 2 (15.38%) | 54.55 | 75 |
| Gray Fox | 5 | 0 (0%) | 0 (0%) | 5 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Mule Deer | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Pronghorn | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 | 0 |
| Raccoon | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Striped Skunk | 1 | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Thirteen-lined Ground Squirrel | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 | 0 |
| Yuma Bat | 2 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 2 (100%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Totals | 39 | 10 (25.64%) | 0 (0%) | 13 (33.33%) | 1 (2.56%) | 0 (0%) | 6 (15.38%) | 5 (12.82%) | 4 (10.26%) | 65.71 | 82.14 |

Dispositions by Species Page 6 of 7

Reptilia

| Common Name | Total | R | т | P | E | E +24hr | D | D +24hr | DOA | Survival Rate Including | Survival Rate After |
|--------------------------------|-------|-------------|-----------|-----------|-----------|-----------|-------------|-------------|-------------|-------------------------------|---------------------------|
| Desert Box Turtle | 3 | 3 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Diploid Checkered Whiptail | 1 | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Eastern Box Turtle | 1 | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Leatherback | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 | 0 |
| Mexican Spotted Wood Turtle | 1 | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Prairie Rattlesnake | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Western Black-headed Snake | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 | 0 |
| Western Fence Lizard | 1 | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Totals | 10 | 7 (70%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (10%) | 1 (10%) | 1 (10%) | 77.78 | 87.5 |

Unidentified

| Common Name | Total | R | т | P | E | E +24hr | D | D +24hr | DOA | Survival Rate Including | Survival Rate After |
|-----------------------|-------|------|------|------|------|---------|----------|----------|----------|-------------------------------|---------------------------|
| Unidentified Dove Egg | 7 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 4 | 0 | 0 |
| | | (0%) | (0%) | (0%) | (0%) | (0%) | (28.57%) | (14.29%) | (57.14%) | | |
| Totals | 7 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 4 | 0 | 0 |
| | | (0%) | (0%) | (0%) | (0%) | (0%) | (28.57%) | (14.29%) | (57.14%) | | |

Dispositions by Species Page 7 of 7

Grand Totals

| | Total | R | т | P | E | E +24hr | D | D +24hr | DOA | Survival Rate Including | Rate |
|--------|-------|----------|---------|----------|---------|---------|----------|----------|---------|-------------------------------|-------|
| Totals | 288 | 45 | 7 | 81 | 27 | 11 | 51 | 40 | 26 | 50.76 | 72.28 |
| | | (15.63%) | (2.43%) | (28.13%) | (9.38%) | (3.82%) | (17.71%) | (13.89%) | (9.03%) | | |