

DISPOSITIONS BY SPECIES

Between: Jan 1, 2022 to Dec 31, 2022

Legend

R Released**T** Transferred**P** Pending**E** Euthanized**D** Died**DOA** Dead on Arrival**Survival Rate Including First 24 Hours**

(Pending + Released + Transferred) / (Total cases - Dead on arrival)

Survival Rate After First 24 Hours

(Pending + Released + Transferred) / (Total cases - Dead on arrival - Died in 24hr - Euthanized in 24hr)

Amphibia

| Common Name | Total | R | T | P | E | E +24hr | D | D +24hr | DOA | Survival Rate Including | Survival Rate After |
|---------------|-------|-------|-------|-------|-------|---------|-------|---------|-------|-------------------------|---------------------|
| Totals | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | (0%%) | (0%%) | (0%%) | (0%%) | (0%%) | (0%%) | (0%%) | (0%%) | | |

Aves

| Common Name | Total | R | T | P | E | E +24hr | D | D +24hr | DOA | Survival Rate Including | Survival Rate After |
|---------------------------|-------|---------------|-----------|---------------|-----------|---------------|---------------|---------------|---------------|-------------------------|---------------------|
| American Coot | 3 | 1 (33.33%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (33.33%) | 0 (0%) | 1 (33.33%) | 50 | 100 |
| American Kestrel | 11 | 1 (9.09%) | 0 (0%) | 2 (18.18%) | 0 (0%) | 3 (27.27%) | 1 (9.09%) | 2 (18.18%) | 2 (18.18%) | 33.33 | 37.5 |
| American Purple Gallinule | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 | 0 |
| American Robin | 2 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 2 (100%) | 0 (0%) | 0 (0%) | 0 | 0 |

| Common Name | Total | R | T | P | E | E +24hr | D | D +24hr | DOA | Survival Rate Including | Survival Rate After |
|---------------------------|--------------|----------------|---------------|---------------|---------------|----------------|---------------|----------------|---------------|--------------------------------|----------------------------|
| Barn Owl | 15 | 5 (33.33%) | 2 (13.33%) | 2 (13.33%) | 2 (13.33%) | 1 (6.67%) | 2 (13.33%) | 0 (0%) | 1 (6.67%) | 64.29 | 90 |
| Barn Swallow | 3 | 0 (0%) | 0 (0%) | 0 (0%) | 1 (33.33%) | 0 (0%) | 0 (0%) | 1 (33.33%) | 1 (33.33%) | 0 | 0 |
| Black Crowned Night Heron | 3 | 1 (33.33%) | 0 (0%) | 0 (0%) | 1 (33.33%) | 0 (0%) | 1 (33.33%) | 0 (0%) | 0 (0%) | 33.33 | 100 |
| Blue Jay | 6 | 1 (16.67%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 2 (33.33%) | 3 (50%) | 0 (0%) | 16.67 | 25 |
| Blue Mockingbird | 1 | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Blue-winged Teal | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 | 0 |
| Burrowing Owl | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 | 0 |
| Calliope Hummingbird | 2 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 2 (100%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Common Grackle | 20 | 2 (10%) | 0 (0%) | 0 (0%) | 5 (25%) | 1 (5%) | 10 (50%) | 2 (10%) | 0 (0%) | 10 | 40 |
| Common Merganser | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Common Nighthawk | 3 | 1 (33.33%) | 0 (0%) | 0 (0%) | 2 (66.67%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 33.33 | 100 |
| Common Poorwill | 4 | 1 (25%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 2 (50%) | 1 (25%) | 0 (0%) | 25 | 50 |
| Common Raven | 3 | 1 (33.33%) | 0 (0%) | 1 (33.33%) | 1 (33.33%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 66.67 | 100 |
| Cooper's Hawk | 19 | 11 (57.89%) | 2 (10.53%) | 0 (0%) | 1 (5.26%) | 1 (5.26%) | 2 (10.53%) | 1 (5.26%) | 1 (5.26%) | 72.22 | 86.67 |
| Costa's Hummingbird | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Coturnix Quail | 1 | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Domestic Duck | 17 | 11 (64.71%) | 0 (0%) | 0 (0%) | 4 (23.53%) | 1 (5.88%) | 0 (0%) | 0 (0%) | 1 (5.88%) | 68.75 | 91.67 |

| Common Name | Total | R | T | P | E | E +24hr | D | D +24hr | DOA | Survival Rate Including | Survival Rate After |
|-----------------------------|--------------|---------------|---------------|---------------|---------------|----------------|---------------|----------------|---------------|--------------------------------|----------------------------|
| Eurasian Collared-dove | 40 | 12 (30%) | 0 (0%) | 0 (0%) | 5 (12.5%) | 0 (0%) | 10 (25%) | 8 (20%) | 5 (12.5%) | 34.29 | 60 |
| European Starling | 18 | 1 (5.56%) | 0 (0%) | 0 (0%) | 1 (5.56%) | 0 (0%) | 4 (22.22%) | 9 (50%) | 3 (16.67%) | 6.67 | 10 |
| Flammulated Owl | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Great Horned Owl | 26 | 8 (30.77%) | 6 (23.08%) | 1 (3.85%) | 3 (11.54%) | 3 (11.54%) | 2 (7.69%) | 1 (3.85%) | 2 (7.69%) | 62.5 | 78.95 |
| Great-tailed Grackle | 3 | 2 (66.67%) | 0 (0%) | 0 (0%) | 1 (33.33%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 66.67 | 100 |
| Greater Roadrunner | 6 | 0 (0%) | 0 (0%) | 1 (16.67%) | 0 (0%) | 0 (0%) | 0 (0%) | 3 (50%) | 2 (33.33%) | 25 | 25 |
| Greater White-fronted Goose | 1 | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Green Heron | 1 | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Harris's Hawk | 1 | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| House Finch | 20 | 2 (10%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 7 (35%) | 8 (40%) | 3 (15%) | 11.76 | 20 |
| House Sparrow | 3 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 2 (66.67%) | 1 (33.33%) | 0 | 0 |
| Least Bittern | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 | 0 |
| Least Poorwill | 1 | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Lesser Goldfinch | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Long-billed Curlew | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Mallard Hybrid | 4 | 2 (50%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (25%) | 0 (0%) | 1 (25%) | 66.67 | 100 |
| Mccown's Longspur | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 | 0 |

| Common Name | Total | R | T | P | E | E +24hr | D | D +24hr | DOA | Survival Rate Including | Survival Rate After |
|---------------------------|--------------|----------------|--------------|---------------|---------------|----------------|---------------|----------------|---------------|--------------------------------|----------------------------|
| Mississippi Kite | 29 | 18 (62.07%) | 0 (0%) | 2 (6.9%) | 2 (6.9%) | 2 (6.9%) | 1 (3.45%) | 4 (13.79%) | 0 (0%) | 68.97 | 76.92 |
| Mourning Dove | 17 | 7 (41.18%) | 1 (5.88%) | 0 (0%) | 2 (11.76%) | 2 (11.76%) | 0 (0%) | 5 (29.41%) | 0 (0%) | 47.06 | 53.33 |
| Muscovy Duck | 1 | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Northern Flicker | 4 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (25%) | 2 (50%) | 1 (25%) | 0 | 0 |
| Northern Harrier | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Osprey | 1 | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Pied-billed Grebe | 2 | 2 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Pyrrhuloxia | 2 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 2 (100%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Red-tailed Hawk | 16 | 5 (31.25%) | 0 (0%) | 0 (0%) | 4 (25%) | 0 (0%) | 5 (31.25%) | 1 (6.25%) | 1 (6.25%) | 33.33 | 83.33 |
| Rock Dove | 43 | 27 (62.79%) | 0 (0%) | 0 (0%) | 3 (6.98%) | 0 (0%) | 3 (6.98%) | 6 (13.95%) | 4 (9.3%) | 69.23 | 81.82 |
| Ruby-throated Hummingbird | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Ruddy Duck | 3 | 0 (0%) | 0 (0%) | 0 (0%) | 2 (66.67%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (33.33%) | 0 | 0 |
| Rufous Hummingbird | 4 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 2 (50%) | 1 (25%) | 1 (25%) | 0 | 0 |
| Scaled Quail | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 | 0 |
| Sharp-shinned Hawk | 6 | 2 (33.33%) | 0 (0%) | 0 (0%) | 1 (16.67%) | 2 (33.33%) | 1 (16.67%) | 0 (0%) | 0 (0%) | 33.33 | 50 |
| Swainson's Hawk | 15 | 7 (46.67%) | 1 (6.67%) | 2 (13.33%) | 1 (6.67%) | 2 (13.33%) | 0 (0%) | 2 (13.33%) | 0 (0%) | 66.67 | 71.43 |
| Toulouse Goose | 2 | 1 (50%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (50%) | 0 (0%) | 50 | 50 |

| Common Name | Total | R | T | P | E | E +24hr | D | D +24hr | DOA | Survival Rate Including | Survival Rate After |
|----------------------------|--------------|-------------------------|-----------------------|-----------------------|------------------------|-----------------------|------------------------|------------------------|-----------------------|--------------------------------|----------------------------|
| Tundra Swan | 2 | 2 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Turkey Vulture | 8 | 3 (37.5%) | 0 (0%) | 0 (0%) | 5 (62.5%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 37.5 | 100 |
| Unidentified Hummingbird | 3 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 3 (100%) | 0 (0%) | 0 | 0 |
| Unidentified Nighthawk | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Western Bluebird | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Western Kingbird | 13 | 4 (30.77%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (7.69%) | 2 (15.38%) | 2 (15.38%) | 4 (30.77%) | 44.44 | 57.14 |
| White-winged Collared Dove | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 | 0 |
| White-winged Dove | 43 | 12 (27.91%) | 1 (2.33%) | 0 (0%) | 3 (6.98%) | 0 (0%) | 12 (27.91%) | 11 (25.58%) | 4 (9.3%) | 33.33 | 54.17 |
| Wood Duck | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 | 0 |
| Totals | 468 | 160 (34.19%) | 14 (2.99%) | 11 (2.35%) | 54 (11.54%) | 19 (4.06%) | 84 (17.95%) | 81 (17.31%) | 45 (9.62%) | 43.74 | 64.91 |

Mammalia

| Common Name | Total | R | T | P | E | E +24hr | D | D +24hr | DOA | Survival Rate Including | Survival Rate After |
|---------------------------|--------------|---------------|------------|------------|-----------|----------------|---------------|----------------|--------------|--------------------------------|----------------------------|
| Big Brown Bat | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 | 0 |
| Bobcat | 2 | 0 (0%) | 1 (50%) | 1 (50%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Brazilian Free-tailed Bat | 22 | 11 (50%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 7 (31.82%) | 3 (13.64%) | 1 (4.55%) | 52.38 | 78.57 |
| Cave Myotis | 3 | 1 (33.33%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (33.33%) | 1 (33.33%) | 0 (0%) | 33.33 | 50 |

| Common Name | Total | R | T | P | E | E +24hr | D | D +24hr | DOA | Survival Rate Including | Survival Rate After |
|--------------------------------|------------|------------------------|----------------------|---------------------|------------------------|----------------------|------------------------|------------------------|----------------------|-------------------------|---------------------|
| Coyote | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 | 0 |
| Desert Cottontail | 13 | 5 (38.46%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 3 (23.08%) | 4 (30.77%) | 1 (7.69%) | 41.67 | 55.56 |
| Domestic Rabbit | 2 | 2 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Eastern Chipmunk | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 | 0 |
| Elk | 1 | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Fox Squirrel | 27 | 12 (44.44%) | 0 (0%) | 0 (0%) | 1 (3.7%) | 1 (3.7%) | 0 (0%) | 12 (44.44%) | 1 (3.7%) | 46.15 | 48 |
| Grey Fox | 5 | 0 (0%) | 2 (40%) | 1 (20%) | 2 (40%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 60 | 100 |
| Kit Fox | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 | 0 |
| Mule Deer | 10 | 0 (0%) | 0 (0%) | 3 (30%) | 2 (20%) | 0 (0%) | 1 (10%) | 3 (30%) | 1 (10%) | 33.33 | 50 |
| Muskrat | 1 | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Pronghorn | 3 | 1 (33.33%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (33.33%) | 1 (33.33%) | 0 (0%) | 33.33 | 50 |
| Raccoon | 8 | 0 (0%) | 0 (0%) | 0 (0%) | 6 (75%) | 1 (12.5%) | 0 (0%) | 0 (0%) | 1 (12.5%) | 0 | 0 |
| Striped Skunk | 14 | 12 (85.71%) | 0 (0%) | 0 (0%) | 1 (7.14%) | 0 (0%) | 0 (0%) | 1 (7.14%) | 0 (0%) | 85.71 | 92.31 |
| Thirteen-lined Ground Squirrel | 1 | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| White-sided Jackrabbit | 2 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (50%) | 1 (50%) | 0 (0%) | 0 | 0 |
| Yuma Myotis | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 | 0 |
| Totals | 119 | 46 (38.66%) | 4 (3.36%) | 5 (4.2%) | 13 (10.92%) | 2 (1.68%) | 14 (11.76%) | 29 (24.37%) | 6 (5.04%) | 48.67 | 63.95 |

Reptilia

| Common Name | Total | R | T | P | E | E +24hr | D | D +24hr | DOA | Survival Rate Including | Survival Rate After |
|-------------------|-----------|-----------------------|-------------------|-----------------------|-------------------|-------------------|-------------------|----------------------|----------------------|-------------------------------|---------------------------|
| Box Turtle | 1 | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Common Rat Snake | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 | 0 |
| Desert Box Turtle | 6 | 3 (50%) | 0 (0%) | 3 (50%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Rio Grande Cooter | 1 | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Sulcata Tortoise | 2 | 0 (0%) | 0 (0%) | 2 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Western Coachwhip | 1 | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (100%) | 0 (0%) | 0 | 0 |
| Whiptail Lizard | 1 | 1 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (0%) | 100 | 100 |
| Totals | 13 | 6 (46.15%) | 0 (0%) | 5 (38.46%) | 0 (0%) | 0 (0%) | 0 (0%) | 1 (7.69%) | 1 (7.69%) | 91.67 | 91.67 |

Grand Totals

| | Total | R | T | P | E | E +24hr | D | D +24hr | DOA | Survival Rate Including | Survival Rate After |
|---------------|------------|-------------------------|--------------------|----------------------|------------------------|----------------------|------------------------|------------------------|-----------------------|-------------------------------|---------------------------|
| Totals | 600 | 212 (35.33%) | 18 (3%) | 21 (3.5%) | 67 (11.17%) | 21 (3.5%) | 98 (16.33%) | 111 (18.5%) | 52 (8.67%) | 45.8 | 65.54 |