


HABITAT FRAGMENTATION AND THE EFFECTS OF ROADS ON WILDLIFE AND HABITATS

**Background and Literature Review
Compiled by Mark L. Watson, Habitat Specialist
Conservation Services Division
New Mexico Department of Game and Fish**



January 2005

Table of Contents

	Introduction.....	3
I.	Habitat Fragmentation.....	3
II.	Adverse effects of habitat fragmentation to populations/species.....	3
III.	The Role of Roads.....	3
	A. Direct loss of habitat.....	4
	B. Reduction of effective (useable) habitat near roads for deer and elk.....	4
	C. Direct mortality.....	4
	D. Increased noise and visual disturbance for deer and elk.....	5
	E. Increased illegal killing of deer and elk.....	5
	F. Road closure benefits for deer and elk.....	5
IV.	Literature Cited.....	6
V.	Appendix 1: Ecological Benefits of Roadless Areas.....	8
	A. Protection of overall watershed health.....	8
	B. Maintenance of water and soil quality.....	8
	C. Conservation of habitat important to wildlife by reducing the potential for fragmentation, degradation and human disturbance.....	8
	D. Protection of stream and lake habitat for fish and other aquatic species, conserving habitat for threatened, endangered and sensitive plant and animal species.....	9
	E. Maintaining area resilience to invasion by non-native species.....	9
VI.	Appendix 2: Literature Review of Road Effects to Wildlife and Habitats.....	10
VII.	Literature Cited for Appendices.....	10
VIII.	Additional Sources for Habitat Fragmentation and Road Effects.....	18

Introduction

This document is intended for use as a resource to assist in assessing the potential impacts of roads and highways on terrestrial and aquatic habitats, species, and ecosystem processes. This review is compiled of relatively current peer-reviewed and scientific “grey” literature, and is not meant to be all-inclusive, but represents a range of potential impacts of roads and highways to species, habitats, and ecological processes.

I. Habitat Fragmentation:

By far, the largest single threat to biological diversity worldwide is the outright destruction of habitat, along with habitat alteration and fragmentation of large habitats into smaller patches (Meffe et al. 1997). The two components of habitat fragmentation are 1) the reduction of the total amount of a habitat type in a landscape; and 2) the reapportionment of the remaining habitat into smaller, more isolated patches of habitat (Harris 1984; Wilcove et al. 1986; Saunders et al. 1991 *in* Meffe et al. 1997).

II. Adverse effects of habitat fragmentation to populations/species:

Habitat fragmentation creates landscapes made of altered habitats or developed areas fundamentally different from those shaped by natural disturbances that species have adapted to over evolutionary time (Noss and Cooperrider 1994 *in* Meffe et al. 1997).

Adverse effects of habitat fragmentation to both wildlife populations and species include:

- Increased isolation of populations or species, which leads to:
 - Adverse genetic effects; i.e. inbreeding depression (depressed fertility and fecundity, increased natal mortality) and decreased genetic diversity from genetic drift and bottlenecks;
 - Increased potential for extirpation of localized populations or extinction of narrowly distributed species from catastrophic events such as hurricanes, wildfires or disease outbreaks;
- Changes habitat vegetative composition, often to weedy and invasive species;
- Changes the type and quality of the food base;
- Changes microclimates by altering temperature and moisture regimes,
- Changes flows of energy and nutrients;
- Changes availability of cover and increases edge effect, bringing together species that might otherwise not interact, potentially increasing rates of predation, competition and nest parasitism;
- Increases opportunities for exploitation by humans, such as poaching or illegal collection for the pet trade;

III. The Role of Roads

Roads are a major contributor to habitat fragmentation because they divide large landscapes into smaller patches and convert interior habitat into edge habitat. As additional road construction and timber harvest activities increase habitat fragmentation across large areas, the populations of some species may become isolated, increasing the risk of local extirpations or extinctions (Noss and Cooperrider 1994). Appendix 1 is an excerpt from the May 2000 Forest Service Roadless Area Conservation Draft

Environmental Impact Statement Vol. 1 and presents information related to ecological benefits of roadless areas. Appendix 2 is a literature review pertinent to road impacts to wildlife and habitats and tied by reference numbers to specific literature citations that are included within that section.

Some of the primary adverse impacts of roads and highways on wildlife and wildlife habitats include:

A. Direct loss of habitat (see Forman et al. 2003):

- 3.9 million miles of roads in the U.S.
- 2.3 million miles are paved.
- Nationwide, 71 million acres of habitat have been lost to primary highways.
- U.S. Forest Service currently maintains and administers ca. 386,000 miles of roads on Forest Service lands, which would circle the equator fifteen times.
- Roads remove two acres of habitat per mile of sixteen-foot-wide road.
- Seven million acres of national forest lands are under roads.
- New Mexico has over 206,000 miles of major and minor roads, including U.S. Forest Service classified roads on National Forest lands in New Mexico (data sources: Earth Data Analysis Center, RGIS, U.S. Forest Service Region 3, Tiger Data).

B. Reduction of effective (useable) habitat near roads for deer and elk:

- Rost and Bailey (1979) found that deer and elk in Colorado avoided roads, particularly areas within 200 meters of a road.
- Berry and Overly (1976) found that roads reduce big game use of adjacent habitat from the road edge to over 0.5 miles away.
- Leege (1976) found that logging and road-building activity along major migration routes changed the winter distribution of elk.
- Thiessen (1976) found that elk occurred in greater densities in roadless area compared to roaded areas. Hunter success was higher in roadless areas compared to roaded areas in Unit 39 in west central Idaho.
- Lyon (1979) found that elk in Montana avoided habitat adjacent to open forest roads, and that road construction creates habitat loss that increases impacts to elk as road densities increase.

C. Direct mortality (see Forman et al. 2003):

- An estimated one million vertebrates are killed daily on roads in the United States.
- Nationally, researchers hired by the Insurance Institute for Highway Safety estimate that more than 1.5 million deer/vehicle collisions occur annually, resulting in more than 29,000 human injuries and 150 deaths.
- In New Mexico, accident report data compiled by the UNM Department of Government Research documented 914 large game animal/vehicle collisions in 2002 and an annual average of 828 large game animal/vehicle collisions since 1998. This number represents only a fraction of the total large game animal/vehicle collisions that actually occur in New Mexico annually, as many go unreported.
- Nationally, annual property damage to vehicles from collisions with deer is \$1.1 billion.

D. Increased noise and visual disturbance for deer and elk:

- Yarmaloy (1988) found that mule deer experimentally harassed by an ATV altered feeding and spatial-use patterns, and produced fewer offspring the following year.
- Repeated human disturbance or harassment of big game populations on crucial winter ranges can change activity patterns, increase predation, reduce access to resources, and increase energy expenditures necessary for survival (Geist 1978 and Hobbs 1989 *In* Easterly et al. 1991).
- Lyon and Vasile (1980) found that an expanding network of logging roads made elk more vulnerable to hunters and harassment, and higher road densities caused a reduction in the length and quality of the hunting season, loss of habitat, overharvest, and population decline.
- Dorrance et al. (1975) found that home-range size and daily movement of white-tailed deer increased with increasing snowmobile activity in Minnesota.
- Wray (1990) found that logging roads made nearby elk herds more vulnerable to human interference year-round, not just during hunting season.

E. Increased illegal killing of deer and elk:

- Bancroft (1990) revealed the widespread illegal practice of road hunting in Arizona using decoy deer and elk. Eleven of 19 archery elk and deer hunters and 41 of 53 firearms hunters committed violations by attempting illegal take after observing a decoy from their vehicle.

F. Road closure benefits for elk:

- Leptich and Zager (1991) reported that no bull elk in highly roaded areas in Montana lived more than 5.5 years, and only 5% lived to maturity. Closing roads extended the age structure of the bull population to 7.5 years, and 16% of the bull population consisted of mature animals. One result of road construction is the decreased capacity of the habitat to support elk from decreased habitat effectiveness. Loss of habitat effectiveness can be at least partially reversed by road closures.
- Basile and Lonner (1979) found that travel restrictions on roads appeared to increase the capability of the area to hold elk in Montana.
- Irwin and Peek (1979) found that road closures allowed elk to remain longer in preferred areas.
- Johnson (1977) studied road closures in the Tres Piedras area in New Mexico during big game season with general public acceptance and increased elk harvest.
- Although the Forest and Rangeland Renewable Resources Planning Act of 1974 requires that temporary roads be closed and revegetated after use, Forest roads are generally difficult to close and maintain as closed, especially when Forests are managed as "Open Unless Designated Closed", such as the Carson National Forest (18 Feb. 1997 NMGF memo) (see Department Guidelines on Effective Closure of Roads-to be developed).

- Bancroft, D.C. 1990. Use of wildlife enforcement decoys for wildlife enforcement in northern Arizona: preliminary results. In Krausman, P.R. and N.S. Smith, eds. *Proceedings of Managing Wildlife in the Southwest*. Tucson, AZ. Oct. 1990. Univ. of Arizona, Tucson. 262 pp.
- Basile, J.V., and T.N. Lonner. 1979. Vehicle restrictions influence elk and hunter distribution in Montana. *Journal of Forestry* 77(3):155-159.
- Berry, C., and R. Overly. 1976. Impacts of roads on big game distribution in portions of the Blue Mountains of Washington. Pages 62-68 in Hieb, S.R. editor. *Proceedings of the Elk-Logging-Roads Symposium*. Moscow Idaho. December 16-17, 1975. Forest, Wildlife and Range Experiment Station, University of Idaho, Moscow. 142 pp.
- Dorrance, M.J., P.J. Savage, and D.E. Huff. 1975. Effects of snowmobiles on white-tailed deer. *Journal of Wildlife Management* 39(3):563-569.
- Easterly, T., A. Wood, and T. Litchfield. 1991. Responses of pronghorn and mule deer to petroleum development on crucial winter range in the Rattlesnake Hills. Unpublished completion report, Wyoming Game and Fish Department, Cheyenne, Wy.
- Forman, T.T. and D. Sperling. 2003. *Road Ecology. Science and Solutions*. Island Press, Washington, D.C. 481 pp.
- Geist, V.A. 1978. Behavior. Pages 283-296 in J.L. Schmidt and D.L. Gilbert, eds. *Big Game of North America: Ecology and Management*. Stackpole Books, Harrisburg, PA.
- Harris, L.D. 1984. *The Fragmented Forest: Island Biogeography Theory and the Preservation of Biotic Diversity*. University of Chicago Press, Chicago.
- Hobbs, N.T. 1989. Linking energy balance to survival in mule deer: development and test of a simulation model. *Wildlife Monographs* 101:1-39.
- Johnson, J. 1977. Status and management report by member states and provinces. New Mexico status report. Page 19 in: *Western States Elk Workshop*. Estes Park, Colorado. January 31-February 2, 1977. 64 pp.
- Irwin, L.L. and J.M. Peek. 1979. Relationship between road closure and elk behavior in northern Idaho. Pages 199-204 in M.S. Boyce and L.D. Hayden-Wing, eds. *North American elk: ecology, behavior, and management*. University of Wyoming, Laramie.
- Leege, T.A. 1976. Relationship of logging to decline of Pete King elk herd. Pages 6-10 in Hieb, S.R., editor. *Proceedings of the Elk-Logging-Roads Symposium*. Moscow Idaho. December 16-17, 1975. Forest, Wildlife and Range Experiment Station, University of Idaho, Moscow.
- Leptich, D.J. and P. Zager. 1991. Road access management effects on elk mortality and population dynamics. Page 126-130 In A.G. Christensen, L.J. Lyon and T.N. Lonner (compilers). *Proceedings of a symposium on elk vulnerability*. Mt. State Univ., Bozeman. April 10-12, 1991. Mt. Chap. The Wildlife Society. 330 pp.
- Lyon, L.J. 1979. Habitat effectiveness for elk as influenced by roads and cover. *Journal of Forestry* 77 10:658-660.
- Lyon, L.J., and J.V. Vasile. 1980. Influences of timber harvesting and residue management on big game. Pages 441-453 in *Environmental Consequences of Timber Harvesting in Rocky Mountain Coniferous Forests*. Symposium Proceedings, Sept. 11-13, 1979, Missoula, Mont. USDA Forest Service General Technical Report INT-90, Intermountain Forest and Range Exp. Station, Ogden, Utah.
- Meffe, G.K., and C.R. Carroll and contributors. 1997. *Principles of Conservation Biology*. Second edition. Sinauer and Associates Inc., Sunderland, MA. 729 pp.
- Noss, R.F. , and A.Y. Cooperrider. 1994. *Saving Nature's Legacy: Protecting and Restoring Biodiversity*. Defenders of Wildlife and Island Press, Washington, D.C.

Rost, G.R. and J.A. Bailey. 1979. Distribution of mule deer and elk in relation to roads. *Journal of Wildlife Management* 43:634-641.

Saunders, D.A., R.J. Hobbs, and C.R. Margules. 1991. Biological consequences of ecosystem fragmentation: A review. *Conserv. Biol.* 5:18-32.

Thiessen, J.L. 1976. Some relations of elk to logging, roading and hunting in Idaho's Game Management Unit 39. Pages 3-5 in S.R. Hieb and J.M. Peak (Ed. and Chairman). *Proceedings of the Elk-Logging-roads Symposium*. Moscow, Idaho. December 16-17, 1975. Forest, Wildlife and Range Experiment Station, University of Idaho, Moscow. 142 pp.

Yarmaloy, C.M. Bayer, and V. Geist. 1988. Behavior responses and reproduction of mule deer, *Odocoileus hemionus*, does following experimental harassment with an all-terrain vehicle. *Canadian Field Naturalist* 102:425-429.

Wilcove, D.S., C.H. McLellan, and A.P. Dobson. 1986. Habitat fragmentation in the temperate zone. In M.E. Soule (ed.), *Conservation Biology: The Science of Scarcity and Diversity*, pp. 237-256. Sinauer Associates, Sunderland, MA.

Wray, P. 1990. Future uncertain for northeast Oregon elk...and elk hunters? *Oregon Wildlife*. May-June. P. 4-8.

Appendix 1

Ecological Benefits of Roadless Areas

From May 2000 Forest Service Roadless Area Conservation
Draft Environmental Impact Statement Vol. 1

- A. Protection of overall watershed health.** Roadless areas support a diversity of aquatic habitats and communities. Without the disturbances caused by roads and associated activities, stream channel characteristics, such as channel and floodplain configuration, substrate embeddedness, riparian condition, amount and distribution of woody debris, stream flow, and temperature regime, are less likely to be altered (Furniss et al. 1991). Illegal introduction and excessive harvest of fish species are also less likely to occur in these areas due to lack of easy access. The timing of water runoff can change as roads and related drainage structures intercept, collect, and divert water. These factors can accelerate water delivery to the stream; therefore, more water becomes storm runoff, increasing the potential for runoff peaks to occur earlier, be of greater magnitude, and recede quicker than in unroaded watersheds (Wemple et al. 1996). While mass wasting (landslides) is a natural process in some regions, extensive research in the West has closely linked land management practices, primarily roading and timber harvest, with accelerated incidence of mass wasting by several orders of magnitude (Swanston 1974, Anderson et al. 1976, Swanston and Swanson 1976, Sidle et al. 1985, Swanston 1991). All of these watershed effects can have direct impacts on salmonid fish species and their habitats (Furniss et al. 1991).
- B. Maintenance of water and soil quality.** Roads have long been recognized as the primary human-caused source of soil and water disturbances in forested environments (Patric 1976, Egan et al. 1996). Generation of sediment within timber harvest units is most strongly related to roading and associated facilities needed to remove the trees, rather than to the act of cutting the trees (Anderson et al. 1976). The New Mexico Water Quality Control Commission states “Almost 1,204 miles of New Mexico’s waters have been assessed and determined to fully support all designated uses. The majority of these waters are in wilderness areas or in watersheds protected from anthropogenic impacts” (NMWQCC 2000). Degraded water and soil quality from roading adversely affect salmonid fish species and their habitats (Furniss et al. 1991).
- C. Conservation of habitat important to wildlife by reducing the potential for fragmentation, degradation and human disturbance.** Habitat in roadless areas is generally less fragmented and better-connected than in roaded areas of similar size. Reed et al. (1996) found that roads added to forest fragmentation more than clearcuts by dissecting large patches into smaller pieces and by converting forest interior habitat into edge habitat. Edge habitat created by roads was 1.54-1.98 times the edge habitat created by clearcuts. Clearcut timber harvest units and associated roads affect 2.5-3.5 times more landscape than surface area occupied by the actual activities themselves (Reed et al. 1996). Over the past 50 years, landscapes have been appreciably impacted from fragmentation caused by road construction and clearcutting (Harris 1984, Saunders et al.

1991, Noss and Csuti 1994, Forman and Alexander 1998). Loss of large trees, snags, and logs in areas adjacent to roads through commercial harvest or firewood cutting has had adverse effects on snag and cavity dependent birds and mammals (Hann et al. 1997). Roads facilitate poaching of many large animals such as caribou, pronghorn, mountain goat, bighorn sheep, wolf and grizzly bear (Cole et al. 1997, Dood et al. 1985, Knight et al. 1988, McLellan and Shackleton 1988, Mech 1970, Stelfox 1971, Yoakum 1978).

- D. Protection of stream and lake habitat for fish and other aquatic species, conserving habitat for numerous threatened, endangered and sensitive plant and animal species.** Waters within roadless areas have been shown to function as biological strongholds and refuges for many species of fish. Some of these headwaters may now play a relatively greater role in supporting viable populations of aquatic species, due to cumulative degradation and loss of downstream aquatic habitats. Lee et al. (1997) demonstrated a negative correlation between increasing road densities and viable native bull, redband, and Yellowstone and westslope cutthroat trout populations in the Columbia River Basin. Information from studies in the Columbia River Basin, an area that encompasses 144 million acres, 7 states and 35 National Forests, found that over 70% of 91 wildlife species analyzed were negatively affected by roads (Wisdom et al 2000). Findlay and Bourdages (2000) found that evidence is accumulating that road construction may result in significant loss of biological diversity at both local and regional scales due to 1) restricted movement of species between local populations; 2) increased mortality; 3) habitat fragmentation and edge effects; 4) invasion by exotic species; and 5) increased human access to wildlife habitats, all of which are expected to increase local extinction rates or decrease local recolonization rates. In the Forest Service's Southwestern Region 3, 57% of Threatened, Endangered and Proposed species under the federal Endangered Species Act, and 54% of Forest Service Sensitive species are dependent on habitat within or affected by inventoried roadless areas.
- E. Maintaining area resilience to invasion by non-native species.** Roads serve as a means of dispersal for many non-native invasive plant species, with seed or plant parts inadvertently transported into previously unaffected areas. Ground disturbance associated with roads and other road-related activities provides additional opportunities for establishment of invasive non-native plant species (Parendes and Jones 2000). Continued roading in National Forests poses the greatest risk for increased spread of non-native invasive species due to the disturbance associated with roads. Continued roading would allow a corresponding increase in the adverse ecological effects associated with establishment of invasive species, such as habitat alteration, replacement of native species, and alteration of ecosystem processes.

Appendix 2

Literature Review of Road Effects to Wildlife and Habitats

(From NMGF, 14 July 2000, comments on U.S. Forest Service Roadless Area Conservation Draft Environmental Impact Statement (NMGF Doc. No. 7094)).

- 1) **Adverse impacts of roads on aquatic and terrestrial habitats from fragmentation or disruption of dispersal and migration corridors:** [31, 23, 33, 35, 37, 39, 48, 54, 57, 61, 103, 106, 107, 109, 134, 139, 145, 150, 152].
- 2) **Adverse impacts of roads to terrestrial wildlife species from mortality (from roadkill, road construction, increased illegal take, etc.):** [3, 4, 16, 19, 23, 24, 25, 31, 33, 35, 51, 60, 61, 68, 71, 74, 76, 77, 78, 86, 94, 117, 121, 129, 130, 134, 148, 149, 151, 156].
- 3) **Adverse impacts of roads to terrestrial wildlife species by altering reproductive behavior or affecting reproductive success (other categories of effects in this review can also affect reproductive success):** [2, 32, 33, 61, 92, 96, 134, 149, 158].
- 4) **Adverse impacts of roads to terrestrial wildlife species by 1) reducing or eliminating habitat effectiveness from road presence and associated human disturbance; or 2) significantly altering habitat use by avoidance of areas previously used (beyond a temporary habituation response):** [4, 5, 7, 12, 13, 14, 15, 18, 19, 22, 26, 29, 33, 42, 49, 53, 59, 63, 64, 65, 66, 67, 68, 70, 72, 81, 85, 94, 98, 99, 100, 105, 109, 111, 112, 113, 114, 120, 122, 127, 131, 132, 134, 137, 138, 147, 149, 156, 157].
- 5) **Landscape scale adverse impacts of roads to fishes and other aquatic species' population viability and aquatic habitats from 1) declining watershed health and function from increased erosion, sedimentation and altered chemical composition that degrade water quality; 2) bridge and culvert alteration of stream channels, floodplains and wetlands morphology and function; and 3) altered runoff quantities, timing and patterns:** [8, 9, 11, 17, 27, 28, 29, 35, 36, 40, 45, 46, 50, 55, 56, 58, 62, 79, 80, 83, 84, 87, 88, 89, 91, 102, 103, 108, 110, 115, 118, 126, 133, 134, 142, 143, 153, 154].
- 6) **Adverse impacts of roads on terrestrial and aquatic wildlife and habitats by acting as dispersal mechanisms for non-native and invasive species. Nonindigenous species are thought to be the second major cause (habitat loss being the first) for the listing of all threatened and endangered species in the United States (Belsky and Gelbard 2000):** [33, 34, 38, 41, 47, 73, 75, 82, 95, 134, 135, 140, 141, 144, 155].

LITERATURE CITED FOR APPENDICES

1. Anderson, H.W., Hoover, M.D., and K.G. Reinhart. 1976. Forests and Water: Effects of Forest Management on Floods, Sedimentation, and Water Supply. Gen. Tech. Rept. PSW-18/1976. USDA Forest Service, Pacific Southwest Forest and Range Experiment Station, Berkeley, CA.
2. Anthony, R.G., and F.B. Isaacs. 1989. Characteristics of bald eagle nests in Oregon. *Journal of Wildlife Management* 53:148-159.
3. Bancroft, D.C. 1990. Use of wildlife enforcement decoys for wildlife enforcement in northern Arizona: preliminary results. In Krausman, P.R. and N.S. Smith, eds. *Proceedings of Managing Wildlife in the Southwest*. Tucson, AZ. Oct. 1990. Univ. of Arizona, Tucson. 262 pp.
4. Banfield, A.W.F. 1974. The relationship of caribou migration behavior to pipeline construction. Pages 797-804 in V. Geist and F. Walther, editors. *The behavior of ungulates and its relation to management*. International Union for the Conservation of Nature Press, Morges, Switzerland.

5. Basile, J.V., and T.N. Lonner. 1979. Vehicle restrictions influence elk and hunter distribution in Montana. *Journal of Forestry* 77(3):155-159.
6. Belsky, J.A. and J.L. Gelbard. 2000. Livestock grazing and weed invasion. Oregon Natural Desert Association. Bend, OR. 31 pp.
7. Berry, C., and R. Overly. 1976. Impacts of roads on big game distribution in portions of the Blue Mountains of Washington. Pages 62-68 in Hieb, S.R. editor. *Proceedings of the Elk-Logging-Roads Symposium*. Moscow Idaho. December 16-17, 1975. Forest, Wildlife and Range Experiment Station, University of Idaho, Moscow. 142 pp.
8. Bilby, R.E. 1985. Contributions of road surface sediment to a western Washington stream. *Forest Science* 31:827-838.
9. Bilby, R.E., K. Sullivan and S.H. Duncan. 1989. The generation and fate of road-surface sediment in forested watershed in southwestern Washington. *Forest Science* 35:453-468.
10. Biota Information System of New Mexico (BISON-M). 2000. New Mexico Department of Game and Fish. Santa Fe, New Mexico.
11. Bjorn, T.C. and D.W. Reiser. 1991. Habitat requirements of salmonids in streams. Pages 83-138 in W.R. Meehan, ed. *Influences of forest and rangeland management on salmonid fishes and their habitats*. Special Publication. American Fisheries Society, Bethesda, MD.
12. Black, J., R.J. Scherzinger, and J.W. Thomas. 1976. Relationships of Rocky Mountain elk and Rocky Mountain mule deer habitat to timber management in the Blue Mountains of Oregon and Washington. Pages 11-31 in Hieb, S.R. editor. *Proceedings of the Elk-Logging-Roads Symposium*. Moscow Idaho. December 16-17, 1975. Forest, Wildlife and Range Experiment Station, University of Idaho, Moscow.
13. Brody, A.J., and M.R. Pelton. 1989. Effects of roads on black bear movements in western North Carolina. *Wildlife Society Bulletin* 17:5-10.
14. Brown, R.L. Effects of timber management practices on elk. Arizona Game and Fish Department. 43 pp.
15. Bruns, E.H. 1977. Effects of turbidity on fish and fishing. *Transactions of the North American Wildlife Conference* 21:249-261.
16. Camarra, J.J., and J.M. Parde. 1990. The brown bear in France-status and management in 1985. *Aquilo, Serie Zoologica* 27:93-96.
17. Chamberlin, T.W., R.D. Harr and F.H. Everest. 1991. Timber harvesting, silviculture, and watershed processes. In *Influences of forest and rangeland management on salmonid fishes and their habitats*. American Fisheries Society Special Publication 19:181-205.
18. Christensen, A.G., L. J. Lyon, and J. Unsworth. 1993. Elk management in the Northern Region: considerations in forest plan updates or revisions. USDA Forest Service, Intermountain Research Station. GTR INT-303. Missoula, MT.
19. Cole, E.K., M.D. Pope and R.G. Anthony. 1997. Effects of road management on movement and survival of Roosevelt elk. *Journal of Wildlife Management* 61:1115-1126.
20. Coleman, J.S., and J.D. Fraser. 1989. Habitat use and home ranges of Black and Turkey Vultures. *Journal of Wildlife Management* 53:782-792.
21. Cowardin, L.M., D.S. Gilmer, and C.W. Shaiffer. 1985. Mallard recruitment in the agricultural environment on North Dakota. *Wildlife Monographs* 92:1-37.
22. Czech, B. 1991. Elk behavior in response to human disturbance at Mount St. Helens National Volcanic Monument. *Applied Animal Behavior Science* 29:269-277.
23. DeMaynadier, P.G. and M.L. Hunter, Jr. 1995. The relationship between forest management and amphibian ecology: a review of the North American literature. *Environmental Reviews* 3:230-261.
24. Denney, R.N. 1974. The impact of uncontrolled dogs on wildlife and livestock. *Trans. N.Amer. Wildl. Conf.* 39:257-291
25. Dood, A.R., R.D. Brannon, and R.D. Mace. 1985. Management of grizzly bears in the Northern Continental Divide ecosystems, Montana. *Transactions of the 51st North American Wildlife and Natural Resources Conference*. 51:162-177.
26. Dorrance, M.J., P.J. Savage, and D.E. Huff. 1975. Effects of snowmobiles on white-tailed deer. *Journal of Wildlife Management* 39(3):563-569.
27. Duff, D.A. Tech. Ed. 1996. Conservation assessment for Inland Cutthroat Trout-distribution, status, and habitat management implications. USDA Forest Service, Intermountain Region, Ogden, UT. 131 pp.
28. Dunham, J.B. and B.E. Rieman. 1999. Metapopulation structure of bull trout: influences of physical, biotic, and geometrical landscape characteristics. *Ecological Applications* 9(2):642-655.

29. Eaglin, G.S., and W.A. Hubert. 1993. Effects of logging roads on substrate and trout in streams of the Medicine Bow National Forest, Wyoming. *North American Journal of Fisheries Management* 13:844-846.
30. Egan, A., A. Jenkins and J. Rowe. 1996. Forest roads in West Virginia, USA: identifying issues and challenges. *Journal of Forest Engineering* 7(3):33-40.
31. Fahrig, L., J.H. Pedlar, S.E. Pope, P.D. Taylor, and J.F. Wenger. 1995. Effect of road traffic on amphibian density. *Biological Conservation* 73:177-182
32. Fernandez, C. 1993. The choice of nesting cliffs by golden eagles *Aquila chrysaetos*: the influence of accessibility and disturbance by humans. *Alauda* 61:105-110.
33. Findlay, C.S. and J. Bourdages. 2000. Response time of wetland biodiversity to road construction on adjacent lands. *Conservation Biology* 14:86-94.
34. Forcella, F. and S.J. Harvey. 1983. Eurasian weed infestation in western Montana in relation to vegetation and disturbance. *Madrono* 30:102-109.
35. Forman, R.T.T. and L.E. Alexander. 1998. Roads and their major ecological effects. *Annual Reviews of Ecology and Systematics* 29:207-231.
36. Fraser, D., and E.R. Thomas. 1982. Moose-vehicle accidents in Ontario: relation to highway salt. *Wildlife Society Bulletin* 10:261-265.
37. Furniss, M.J., T.D. Roeloffs, and C.S. Lee. 1991. Road construction and maintenance. Pages 297-323 in W.R. Meehan, editor. *Influences of forest and rangeland management on salmonid fishes and their habitats*. Special publication 19. American Fisheries Society, Bethesda, Maryland.
38. Gaddy, L.L., and T.L. Kohlsaar. 1987. Recreational impact on the natural vegetation, avifauna, and herpetofauna of four South Carolina barrier islands (USA). *Natural Areas Journal* 7:55-64.
39. Gibbs, J.P. 1998. Amphibian movements in response to forest edges, roads, and streambeds in southern New England. *Journal of Wildlife Management* 62:584-589.
40. Gjessing, E., E. Lygren, L. Berglind, T. Gulbrandsen, and R. Skanne. 1984. Effect of highway runoff on lake water quality. *Science of the total environment* 33:247-257.
41. Greenberg, D.H., S.H. Crownover, and D.R. Gordon. 1997. Roadside soil: a corridor for invasion of xeric scrub by nonindigenous plants. *Natural Areas Journal* 17:99-109.
42. Grover, K.E., and M.J. Thompson. 1986. Factors influencing spring feeding site selection by elk in the Elkhorn Mountains, Montana. *Journal of Wildlife Management* 50:466-470.
43. Hagans, D.K., E. Weaver, and M.A. Madej. 1986. Long-term on-site and off-site effects of logging and erosion in the Redwood Creek Basin, northern California. Pages 38-65 in *Papers presented at the American Geophysical Union meeting on cumulative effects*. Technical bulletin 490. National Council for Air and Stream Improvement, New York.
44. Hann, W. J., J.L. Jones, M.G. Karl. 1997. Landscape dynamics of the Basin. Pages 337-1055 in Quigley, T.M. and S.J. Arbelbide, Tech. Eds. *An assessment of ecosystem components in the Interior Columbia Basin and portions of the Klamath and Great Basins*. Gen. Tech. Rept. PNW-GTR-405. Vol. 2, Chapter 3. USDA Forest Service Pacific Northwest Research Station, Portland, OR.
45. Harr, R.D., W.C. Harper and J.T. Krygier. 1975. Changes in storm hydrographs after road building and clear-cutting in the Oregon Cascade Range. *Water Resources Research* 11:436-444.
46. Harris, L.D. 1984. *The Fragmented Forest: Island Biogeography Theory and the Preservation of Biotic Diversity*. Chicago: University of Chicago Press.
47. Henderson, L., and M.J. Wells. 1986. Alien plant invasions in the grassland and savannah biomes. Pages 109-117 in I.A.W. McDonald, F.J. Kruger, and A.A. Ferrar, editors. *The ecology and management of biological invasions in southern Africa*. Oxford University Press, Capetown.
48. Henjum, M.G., J.R. Karr, D.L. Bottom, D.A. Perry, J.C. Bernarz, S.G. Wright, S.A. Beckwith, and E. Beckwitt. 1994. *Interim protection for late successional forests, fisheries and watersheds: national forests east of the Cascade Crest, Oregon and Washington*. The Wildlife Society, Bethesda, Maryland.
49. Hershey, T.J., and T.A. Leege. 1976. Influences of logging on elk summer range in north-central Idaho. Pages 73-80 in Hieb, S.R. (ed.) *Proceedings of the Elk-Logging-Roads Symposium*. Moscow, Idaho. December 16-17, 1975. Forest, Wildlife and Range Experiment Station, University of Idaho, Moscow. 142 pp.
50. Hicks, B.J., J.D. Hall, P.A. Bisson, and J.R. Sedell. 1991. Response of salmonids to habitat change. Pages 483-518 in W.R. Meehan, editor. *Influences of forest and rangeland management on salmonid fishes and their habitat*. Special publication 19. American Fisheries Society, Bethesda, Maryland.
51. Holbrook, H.T., and M.R. Vaughan. 1985. Influence of roads on turkey mortality. *J. Wildl. Manage.* 49(3):611-614.

52. Hornocker, M.G., and H.S. Hash. 1981. Ecology of the wolverine in northwestern Montana. *Canadian Journal of Zoology* 59:1286-1301.
53. Jensen, F.W., T.K. Fuller, and W.I. Robinson. 1986. Wolf, *Canis lupus*, distribution on the Ontario-Michigan border near Sault Ste. Marie. *Canadian Field Naturalist* 100:363-366.
54. Joly, P., and A. Morand. 1997. Amphibian diversity and land-water ecotones. Pages 161-182 in J.P. Bravard and R. Juge, Editors. *Biodiversity in land-water ecotones. Man and biosphere series. Volume 18.* United Nations Educational, Scientific and Cultural Organization, Paris.
55. Jones, J.A., and G.E. Grant. 1996. Cumulative effects of forest harvest on peak streamflow in the western Cascades of Oregon. *Water Resources Research* 32:959-974.
56. Jones, J.A., F.J. Swanson, B.C. Wemple and K.U. Snyder. 2000. Effects of roads on hydrology, geomorphology, and disturbance patches in stream networks. *Conservation Biology* 14:76-85.
57. Kershner, J.L., C.M. Bischoff, and D. L. Horan. 1997. Population, habitat, and genetic characteristics of Colorado River cutthroat trout in wilderness and non wilderness stream sections in the Uinta Mountains of Utah and Wyoming. *North American Journal of Fisheries Management* 17:1134-1143.
58. King, J.G., and L.C. Tennyson. 1884. Alteration of streamflow characteristics following road construction in north central Idaho. *Water Resources Research* 20:1159-1163.
59. Klein, D.R. 1991. Caribou in the changing North. *Applied Animal Behavior Science* 29:279-291.
60. Knight, R.R., B.M. Blanchard, and L.L. Eberhardt. 1988. Mortality patterns and population sinks for Yellowstone grizzly bears, 1973-1985. *Wildlife Society Bulletin* 16:121-125.
61. LeCount, A.L. 1987. Characteristics of a northern Arizona black bear population. Arizona Game and Fish Department Final Report. 26 pp.
62. Lee, D.C., J.R. Sedell, B.R. Rieman, R.F. Thurow and J.E. Williams. 1997. Pages 1058-1496 in T.M. Quigley and S.J. Arbelbide, Tech. Eds. *An assessment of ecosystem components in the Interior Columbia Basin and portions of the Klamath and Great Basins: Volume 3. Gen. Tech. Rep. PNW-GTR-405.* USDA Forest Service Pacific Northwest Research Station, Portland, OR.
63. Leege, T.A. 1976. Relationship of logging to decline of Pete King elk herd. Pages 6-10 in Hieb, S.R., editor. *Proceedings of the Elk-Logging-Roads Symposium.* Moscow Idaho. December 16-17, 1975. Forest, Wildlife and Range Experiment Station, University of Idaho, Moscow.
64. Livezey, K.B. 1991. Home range, habitat use, disturbance, and mortality of Columbian black-tail deer in Mendocino National Forest. *California Fish and Game* 77:201-209.
65. Lyon, L.J. 1979. Habitat effectiveness for elk as influenced by roads and cover. *Journal of Forestry* 77 10:658-660.
66. Lyon, L.J. 1983. Road density models describing habitat effectiveness for elk. *Journal of Forestry* 81:592-595.
67. Lyon, L.J., and C.E. Jensen. 1980. Management implications of elk and deer use of clear-cuts in Montana. *Journal of Wildlife Management* 44(2):352-361.
68. Lyon, L.J., and J.V. Vasile. 1980. Influences of timber harvesting and residue management on big game. Pages 441-453 in *Environmental Consequences of Timber Harvesting in Rocky Mountain Coniferous Forests.* Symposium Proceedings, Sept. 11-13, 1979, Missoula, Mont. USDA Forest Service General Technical Report INT-90, Intermountain Forest and Range Exp. Station, Ogden, Utah.
69. MacArthur, R.A., R.H. Johnston, and V. Geist. 1979. Factors influencing heart rate in free ranging bighorn sheep: a physiological approach to the study of wildlife harassment. *Canadian Journal of Zoology* 57:2010-2021.
70. Madsen, J. 1985. Impact of disturbance on field utilization of pink-footed geese in West Jutland, Denmark. *Biological Conservation* 33:53-64.
71. Manville, A.M. 1983. Human impact on the black bear in Michigan's lower peninsula. *International Conference on Bear Research and Management* 5:20-33.
72. Marcum, C.L. 1976. Habitat selection and use during summer and fall months by a western Montana elk herd. Pages 91-96 in Hieb, S.R. (ed.) *Proceedings of the Elk-Logging-Roads Symposium.* Moscow, Idaho. December 16-17, 1975. Forest, Wildlife and Range Experiment Station, University of Idaho, Moscow. 142 pp.
73. Marcus, W.A., G. Milner and B. Maxwell. 1998. Spotted knapweed distribution in stock camps and trails of the Selway-Bitterroot Wilderness. *Great Basin Naturalist* 58:156-166.
74. McLellan, B.N. and D.M. Shackleton. 1988. Grizzly bears and resource-extraction industries: effects of roads on behavior, habitat use, and demography. *Journal of Applied Ecology* 25:451-460.
75. McNab, W.H. and M. Meeker. 1987. Oriental bittersweet: a growing threat to hardwood silviculture in the Appalachians. *Northern Journal of Applied Forestry* 4:174-177.

76. Mech, L.D. 1970. Implications of wolf ecology to management. Pages 39-44 in Jorgenson, S.E., L.E. Faulkner, and L.D. Mech, eds. Proceedings of a symposium on wolf management in selected areas of North America. USDI Fish and Wildlife Service.
77. Mech, L.D. 1973. Wolf numbers in the Superior National Forest of Minnesota. US For. Serv. Res. Pap. NC-97. 10pp.
78. Mech, L.D. 1989. Wolf population survival in an area of high road density. *Am. Mid. Nat.*, 121:387-389.
79. Meehan, W.R. editor. 1991. Influences of forest and rangeland management on salmonid fisheries and their habitats. Special Publication 19. American Fisheries Society, Bethesda, MD.
80. Megahan, W.F. 1972. Sudsurface flow interception by a logging road in mountains of central Idaho. Pages 350-356 in Proceedings of a national symposium on watersheds in transition. American Water Resources Association, Bethesda, Maryland.
81. Merriam, G.M., M. Kozakiewicz, E. Tsuchiya, and K. Hawley. 1989. Barriers as boundaries for metapopulations and demes of *Peromyscus leucopus* in farm landscapes. *Landscape Ecology* 2:227-236.
82. Mills, E.L., J.H. Leach, J.T. Carlton and C.L. Secor. 1993. Exotic species in the Great Lakes: A history of biotic crises and anthropogenic introductions. *Journal of Great Lakes Research* 19(1):1-54.
83. Montgomery, D.R. 1994. Road surface drainage, channel initiation, and slope instability. *Water Resources Research* 30:1925-1932.
84. Montgomery, D.R., J.M. Buffington, N.P. Peterson, D.Schuett-Hames and T.P. Quinn. 1996. Stream-bed scour, egg burial depths, and the influence of salmonid spawning on bed surface mobility and embryo survival. *Canadian Journal of Fisheries and Aquatic Sciences* 53:1061-1070.
85. Morgantini, L.E., and R.J. Hudson. 1979. Human disturbance and habitat selection in elk. Pages 132-139 in M.S. Boyce and L.D. Hayden-Wing (eds.) *North American elk: ecology, behavior and management*. University of Wyoming. 294 pp.
86. Moroy, P. 1991. Managing access to affect elk vulnerability. Pages 138-141 in Christensen, A.G., L.J.Lyon, and T.N. Lonner (compilers). Proceedings of a symposium on elk vulnerability. Mt. State Univ., Bozeman. April 10-21, 1991. Mt. Chap. The Wildl. Soc. 330 pp.
87. Moyle, P.B., and R.A. Leidy. 1992. Loss of biodiversity in aquatic ecosystems: evidence from fish faunas. In P.L. Fiedler and S.K. Jains (eds.). *Conservation biology: the theory and practice of nature conservation, preservation, and management*. Chapman and Hall, New York.
88. Moyle, P.B. and P.J. Randall. 1996. Biotic integrity of watersheds. In *Sierra Nevada Ecosystem Project: A Final Report to Congress, Volume 2, Chapter 33*. University of California, Centers for Water and Wildland Resources, Davis, CA.
89. Moyle, P.B., R.M. Yoshiyama, and R.A. Knapp. 1996. Status of fish and fisheries. In *Sierra Nevada Ecosystem Project: A Final Report to Congress, Volume 2, Chapter 3*. University of California, Centers for Water and Wildland Resources, Davis, CA.
90. New Mexico Water Quality Control Commission. 2000. *Water Quality and Water Pollution Control In New Mexico. A Report Prepared for Submission to the Congress of the United States by the State of New Mexico Pursuant to Section 305(b) of the Federal Clean Water Act*. New Mexico Water Quality Control Commission. P.O. Box 26110, Santa Fe, NM 87502.
91. Newcombe, C.P., and J.O.T. Jensen. 1996. Channel suspended sediment and fisheries: a synthesis for quantitative assessment of risk. *North American Journal of Fisheries Management* 16:693-727.
92. Norling, B.S., S.H. Anderson, and W.A. Hubert. 1992. Roost sites used by Sandhill cranes staging along the Platte River, Nebraska. *Great Basin Naturalist* 52:253-261.
93. Noss, R.F. and B. Csuti. 1994. Habitat Fragmentation. Pages 237-264 in G.K. Meffe and C.R. Carroll, Eds. *Principles of Conservation Biology*. Sunderland: Sinauer Associates, Inc.
94. Oxley, D.J., M.B. Fenton, and G.R. Carmody. 1974. The effects of roads on populations of small mammals. *Journal of Applied Ecology*, 11, 51-59.
95. Parendes, L.A., and J.A. Jones. 2000. Light availability, dispersal, and exotic plant invasion along roads and streams in the H.J. Andrews Experimental Forest, Oregon. *Conservation Biology* 14:64-75.
96. Paruk, J.D. 1987. Habitat utilization by Bald Eagles wintering along the Mississippi River (USA). *Transactions of the Illinois State Academy of Science* 80:333-342.
97. Patric, J.H. 1976. Soil erosion in the eastern forest. *Journal of Forestry* 74(10):671-677.
98. Pedevillano, C., and R.G. Wright. 1987. The influence of visitors on mountain goat activities in Glacier National Park, Montana. *Biological Conservation* 39:1-11.
99. Perry, C., and R.Overly. 1976. Impact of roads on big game distribution in portions of the Blue Mountains of Washington. Pages 62-68 in Hieb, S.R. (ed.) *Proceedings of the Elk-Logging-Roads Symposium*. Moscow,

- Idaho. December 16-17, 1975. Forest, Wildlife and Range Experiment Station, University of Idaho, Moscow. 142 pp.
100. Perry, C., and R. Overly. 1977. Impact of roads on big game distribution in portions of the Blue Mountains of Washington, 1972-1973. Applied Research Bulletin No. 11. Washington Game Department, Olympia, WA 38 pp.
 101. Platts, W.S., and W.F. Megahan. 1975. Time trends in riverbed sediment composition in salmon and steelhead spawning areas: South Fork Salmon River, Idaho. Transactions of the North American Wildlife and Natural Resources Conference 40:229-239.
 102. Platts, W.S., R.J. Torquemada, M.L. McHenry and C.K. Graham. 1989. Changes in salmon spawning and rearing habitat from increased delivery of fine sediment to the South Fork Salmon River, Idaho. Transactions of the American Fisheries Society 118:274-283.
 103. Propst, D.L. 1999. Threatened and endangered fishes of New Mexico. Tech. Rpt. No. 1. New Mexico Department of Game and Fish, Santa Fe, NM. 84 pp.
 104. Rahmstedt, J., and B. Barsch. 1993. Roadways and Wildlife: An Annotated Bibliography. Arizona Game and Fish Department, Flagstaff.
 105. Ream, R. 1977. Elk movements, distribution, and populations in relation to land-use practices on the Bitterroot-Rock Creek Divide. Biannual Rep. 28(1). Montana Coop. Wildl. Res. Unit. 4 p.
 106. Reed, R.A., J. Johnson-Barnard and W.L. Baker. 1996. Contribution of roads to forest fragmentation in the Rocky Mountains. Conservation Biology 10:1098-1106.
 107. Reh, W., and A. Seitz. 1990. The influence of land use on the genetic structure of populations of the common frog *Rana temporaria*. Biological Conservation 54:239-249.
 108. Reid, L.M., and T. Dunne. 1984. Sediment production from forest road surfaces. Water Resources Institute 20:1753-1761.
 109. Reiman, B.E., D.C. Lee, and R.F. Thurow. 1997. Distribution, status, and likely future trends of bull trout within the Columbia River and Klamath River Basin. North American Journal of Fisheries Management 17:1111-1125.
 110. Richardson, E.V., B. Simons, S. Karaki, M. Mahmood, and M.A. Stevens. 1975. Highways in the river environment: hydraulic and environmental design considerations training and design manual. U.S. Department of Transportation, Federal Highway Administration, Washington, D.C.
 111. Rost, G.R. 1975. Response of deer and elk to roads. M.S. Thesis, Colorado State University, Fort Collins, CO. 51 pp.
 112. Rost, G.R., and J.A. Bailey. 1974. Response of deer and elk to roads on the Roosevelt National Forest. Proc. 25th Conf. Northwest Sec. Wildl. Soc., Edmonton, Alberta. 19 pp.
 113. Rost, G.R. and J.A. Bailey. 1979. Distribution of mule deer and elk in relation to roads. Journal of Wildlife Management 43:634-641.
 114. Rowland, M.M., M.J. Wisdom, B.K. Johnson and J.G. Kie. In Press. Elk distribution and modeling in relation to roads. Journal of Wildlife Management, July 2000.
 115. Ryan, S.E. and G.E. Grant. 1991. Downstream effects of timber harvesting on channel morphology in Elk River Basin, Oregon. Journal of Environmental Quality 20:60-72.
 116. Saunders, D.A., R.J. Hobbs, and C.R. Margules. 1991. Biological consequences of ecosystem fragmentation: a review. Conservation Biology 5:18-32.
 117. Schlegel, N. 1976. Factors affecting calf elk survival in north central Idaho. Proc. West. Assoc. Fish and Game Comm. Annu. Meeting 56:342-355.
 118. Seyedbagheri, K.A. 1996. Idaho forestry best management practices: compilation of research on their effectiveness. General technical report INT-GTR-339. U.S. Forest Service, Intermountain Research Station, Ogden, Utah.
 119. Sidle, R.C., A.J. Pearce, and C.L. O'Loughlin. 1985. Hillslope stability and land use. Water Resources Monograph 11. American Geophysical Union: Washington, D.C.
 120. Sopuck, L.G., C.E. Tull, J.E. Green, R.E. Salter. 1979. Impacts of development on wildlife: a review from the perspective of the Cold Lake Project. LGL Limited for ESSO Resources Canada Limited. Calgary, Alberta. 400 pp.
 121. Stelfox, J.G. 1971. Bighorn sheep in the Canadian Rockies: a history from 1800-1970. Canadian Field Naturalist 85:101-122.
 122. Sundstrom, C., and E. Norberg. 1972. A brief summary of the influence of roads on elk populations. USDA Forest Service. 34 pp.

123. Swanston, D.N. 1974. Slope stability problems associated with timber harvesting in mountainous regions of the Western United States. Gen. Tech. Rep. PNW-21. USDA Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR.
124. Swanston, D.N. 1991. Natural Processes. Pages 139-179 in Meehan, W.R. ed. Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats. Special Publication 19. American Fisheries Society, Bethesda, MD.
125. Swanston, D.N. and F.J. Swanson. 1976. Timber harvesting, mass erosion, and steep-land forest geomorphology in the Pacific Northwest. Pages 199-221 in Coates, D.R., ed. Geomorphology and Engineering. Stroudsburg: Dowden, Hutchinson and Ross.
126. Swift Jr., L.W. 1984. Soil losses from roadbeds and cut and fill slopes in the Southern Appalachian Mountains. Southern Journal of Applied Forestry 8:209-216.
127. Swihart, R.K., and N.A. Slade. 1984. Road crossings in *Sigmodon hispidus* and *Microtus ochrogaster*. Journal of Mammalogy 65:357-360.
128. Theodore Roosevelt Conservation Alliance. 1999. Survey. Responsive Management.
129. Thiel, R.P. 1985. Relationship between road densities and wolf habitat suitability in Wisconsin. Am. Mid. Nat. 113:404-407.
130. Thiessen, J.L. 1976. Some relations of elk to logging, roading and hunting in Idaho's Game Management Unit 39. Pages 3-5 in S.R. Hieb and J.M. Peak (Ed. and Chairman). Proceedings of the Elk-Logging-roads Symposium. Moscow, Idaho. December 16-17, 1975. Forest, Wildlife and Range Experiment Station, University of Idaho, Moscow. 142 pp.
131. Thomas, J.W., H. Black, Jr., R.J. Scherzinger, and R.J. Pedersen. 1979. Deer and elk. In: J.W. Thomas, ed. Wildlife Habitats in Managed Forests: the Blue Mountains of Oregon and Washington. USDA Forest Service. Agricultural Handbook No. 553. Pacific Northwest Forest and Range Experiment Station. Portland, OR. Pp.104-127.
132. Thurber, J.M., R.O. Peterson, T.D. Drummer, and S.A. Thomasma. 1994. Gray wolf response to refuge boundaries and roads in Alaska. Wildlife Society Bulletin 22:61-68.
133. Troendle, C.A. and R.M. King. 1985. The effect of timber harvest on the Fool Creek Watershed, 30 years later. Water Resources Research 21:1915-1922.
134. Trombulak, S. C., and C. Frissell. 2000. Review of ecological effects of roads on terrestrial and aquatic communities. Conservation Biology 14(1):18-30.
135. Tyser, R.W., and C.A. Worley. 1992. Alien flora in grasslands adjacent to road and trail corridors in Glacier National Park, Montana (USA). Conservation Biology 6:253-262.
136. USDA, Forest Service. 1999h. Infrastructure Database.
137. Van Dyke, F.G., R.H. Brocke, and H.G. Shaw. 1986. Use of road track counts as indices of mountain lion presence. Journal of Wildlife Management 50:102-109.
138. Van der Zande, A.N., W.J. ter Keurs, and W.J. Van der Weijden. 1980. The impact of roads on the densities of four bird species in an open field habitat-evidence of a long-distance effect. Biological Conservation 18:299-321.
139. Warren, M.L., and M.G. Pardew. 1998. Road Crossings as barriers to small-stream fish movement. Transactions of the American Fisheries Society 127:637-644.
140. Watson, A.K. and A.J. Renney. 1974. The biology of Canadian weeds *Centaurea diffusa* and *C. maculosa*. Canadian Journal of Plant Science 54:687-701.
141. Wein, R.W., G. Wein, S. Bahret, and W.J. Cody. 1992. Northward invading non-native vascular plant species in and adjacent to Wood Buffalo National Park, Canada. Canadian Field Naturalist 106:216-224.
142. Welsh, H. and L.M. Ollivier. 1998. Stream amphibians as indicators of ecosystem stress: a case study from California's redwoods. Ecological Applications 8:118-1132.
143. Wemple, B.C., J.A. Jones, and G.E. Grant. 1996. Channel network extension by logging roads in two basins, western Cascades, Oregon. Water Resources Bulletin 32:1195-1207.
144. Wester, L., and J.O. Juvik. 1983. Roadside plant communities on Mauna Loa, Hawaii. Journal of Biogeography 10:307-316.
145. Wigley, T.B., and T.H. Roberts. 1994. A review of wildlife changes in southern bottomland hardwoods due to forest management practices. Wetlands 14:41-48.
146. Wisdom, M.J., R.S. Holthausen, B.K. Wales, C.D. Hargis, V.A. Saab, D.C. Lee, W.J. Hann, T.D. Rich, M.M. Rowland, W.J. Murphy, and M.R. Eames. 2000. Source habitats for terrestrial vertebrates of focus in the Interior Columbia Basin: broad-scale trends and management implications. Gen. Tech. Rept. PNW-GTR-485. USDA Forest Service Pacific Northwest Research Station, Portland, OR.

147. Witmer, G.W., and D.S. DeCalesta. 1985. Effect of forest roads on habitat use by Roosevelt elk. *Northwest Science* 59:122-125.
148. Wolfe, M.L. 1978. Habitat changes and management. Pages 349-368 in J.L. Schmidt and D.L. Gilbert (eds.) *Big Game of North America: Ecology and Management*. Stackpole Books, Harrisburg, PA. 494 pp.
149. Wray, P. 1990. Future uncertain for northeast Oregon elk...and elk hunters? *Oregon Wildlife*. May-June. P. 4-8.
150. Yanes, M., J.M. Velasco, and F. Suarez. 1995. Permeability of roads and railways to vertebrates: the importance of culverts. *Biological Conservation* 71:217-222.
151. Yoakum, J.D. 1978. Pronghorn. Pages 103-121 in J.L Schmidt and G. Douglas, eds. *Big Game of North America*. Stackpole Books, Harrisburg, PA.
152. Young, K.R. 1994. Roads and the environmental degradation of tropical montane forests. *Conservation Biology* 8:972-976.
153. Young, M.K. Tech. Ed. 1995. Conservation assessment for Inland Cutthroat Trout. Gen. Tech. Rept. RM-256. USDA Forest Service Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO. 61 pp.
154. Zeimer, R.R., and T.E. Lisle. 1998. Hydrology. Pages 43-68 in R.J. Naiman and R.E. Bilby, editors. *River ecology and management: lessons from the Pacific coastal ecosystem*. Springer Verlag, New York.
155. Zobel, D.B., L.F. Roth, and G.M. Hawk. 1985. Ecology, pathology, and management of Port Orford cedar (*Chamaecyparis lawsoniana*). General Technical report PNW-184. U.S. Forest Service, Portland, Oregon.
156. Leptich, D.J. and P. Zager. 1991. Road access management effects on elk mortality and population dynamics. Page 126-130 In A.G. Christensen, L.J. Lyon and T.N. Lonner (compilers). *Proceedings of a symposium on elk vulnerability*. Mt. State Univ., Bozeman. April 10-12, 1991. Mt. Chap. The Wildlife Society. 330 pp.
157. Baxter, C.V., C.A. Frissell, and F.R. Hauer. 1999. Geomorphology, logging roads, and the distribution of bull trout (*Salvelinus confluentus*) spawning in a forested river basin: implications for management and conservation. *Transactions of the American Fisheries Society* 128:854-867.
158. Yarmaloy, C.M. Bayer, and V. Geist. 1988. Behavior responses and reproduction of mule deer, *Odocoileus hemionus*, does following experimental harassment with an all-terrain vehicle. *Canadian Field Naturalist* 102:425-429.

**Additional Sources for
Habitat Fragmentation and Road Effects**

- Brahmstedt, J. and B. Barsch. 1993. *Roadways and Wildlife. An Annotated Bibliography.* Arizona Game and Fish Department Region II, Flagstaff, AZ.
- Conservation Biology. February 2000. Volume 14, Issue No 1.
- Environmental Research Advisory Council. No date. *The Effects of Linear Development on Wildlife: A Review of Selected Scientific Literature.* Prepared for the Canadian Association of Petroleum Producers by Arc Wildlife Services, Inc.
- Forman, T.T. and D. Sperling. 2003. *Road Ecology. Science and Solutions.* Island Press, Washington, D.C. 481 pp.
- Harris, L. D. 1984. *Fragmented Forest. Island Biogeography Theory and the Preservation of Biotic Diversity.* University of Chicago Press. 211 pp.
- Hudson, W.E. (ed.). 1991. *Landscape Linkages and Biodiversity.* Defenders of Wildlife and Island Press, Washington, D.C. 196 pp.
- MacArthur, R.H. and E.O. Wilson. 1967. *The Theory of Island Biogeography.* Princeton University Press, Princeton, N.J.
- Neil, P.H., R.W. Hoffman and R.B. Gill. 1975. *Effects of Harassment on Wild Animals. An Annotated Bibliography of Selected References.* Colorado Division of Wildlife.
- Noss, R.F. and A.Y. Cooperider. 1994. *Saving Nature's Legacy: Protecting and Restoring Biodiversity.* Island Press.
- Saunders, D.A., R.J. Hobbs, and C.R. Margules. 1991. Biological consequences of ecosystem fragmentation: A review. *Conserv. Biol.* 5:18-32.
- U.S. Forest Service. May 2000. *Roadless Area Conservation Draft Environmental Impact Statement Volume 1.*
- U.S. Forest Service. 1980. *Impact of Backcountry Recreationists on Wildlife: An Annotated Bibliography.* General Technical Report INT-84. Intermountain Forest and Range Experiment Station, Ogden, UT. 62 pp.
- Wilcove, D.S., C.H. McLellan, and A.P. Dobson. 1986. Habitat fragmentation in the temperate zone. In M.E. Soule (ed.), *Conservation Biology: The Science of Scarcity and Diversity*, pp. 237-256. Sinauer Associates, Sunderland, MA.